

UNCLASSIFIED

AD NUMBER	
AD377088	
CLASSIFICATION CHANGES	
TO:	UNCLASSIFIED
FROM:	CONFIDENTIAL
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; OCT 1966. Other requests shall be referred to Air Force Rocket Propulsion Laboratory, Attn: RPPR/STINFO, Edwards AFB, CA 93523. This document contains export-controlled technical data.	
AUTHORITY	
31 Dec 1972, GP-4 DoDD 5200.10; AFRPL ltr, 7 May 1973	

THIS PAGE IS UNCLASSIFIED

GENERAL DECLASSIFICATION SCHEDULE

**IN ACCORDANCE WITH
DOD 5200.1-R & EXECUTIVE ORDER 11652**

THIS DOCUMENT IS:

**Subject to General Declassification Schedule of
Executive Order 11652-Automatically Downgraded at
2 Years Intervals- DECLASSIFIED ON DECEMBER 31, 1972**

BY

**Defense Documentation Center
Defense Supply Agency
Cameron Station
Alexandria, Virginia 22314**

SECURITY

MARKING

The classified or limited status of this report applies to each page, unless otherwise marked.

Separate page printouts MUST be marked accordingly.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECTIONS 793 AND 794. THE TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights, or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CONFIDENTIAL

APRPL-TR-66-288

880223

(Unclassified Title)

**INVESTIGATION OF THE THERMODYNAMIC PROPERTIES
AND THE DECOMPOSITION
KINETICS OF PROPELLANT INGREDIENTS**

**QUARTERLY PROGRESS REPORT AFRPL-TR-66-176
(1 July 1966 to 30 September 1966)**

October 1966

NOV 8 1966

AIR FORCE ROCKET PROPULSION LABORATORY D

RESEARCH AND TECHNOLOGY DIVISION

EDWARDS AIR FORCE BASE, CALIFORNIA

In addition to security requirements which must be met,
this document is subject to special export controls and
each transmittal to foreign governments or foreign
nationals may be made only with prior approval of AFRPL
(RPPR-STINFO), Edwards, California, 93523

(Prepared under Contract Nr. AF 04(611)-11202 by
The Dow Chemical Company,
Midland, Michigan)

CONFIDENTIAL

NOTICE

The information in this report is presented in good faith, but no warranty is made, nor is freedom from any patent to be inferred.

LEGAL NOTICE

When U. S. Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specification, or other data, is not to be regarded by implication or otherwise, or in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may be in any way be related thereto.

SECURITY NOTICE

This document contains information affecting the National Defense of the United States within the meaning of the espionage Laws (Title 18, U. S. C., Sections 793 and 794). Transmission or revelation in any manner to an unauthorized person is prohibited by law.

DISTRIBUTION

Two copies of this report have been forwarded to the Directorate of Rocket Propulsion, Edwards Air Force Base, California, and one copy to RTD (RTA) Bolling Air Force Base, Washington, D. C. Further distribution has been made in accordance with the automatic distribution list, plus category B-1 of the CPIA Publication No. 74, Chemical Propulsion Mailing List, March 25, 1965, with subsequent changes.



CONFIDENTIAL
THE DOW CHEMICAL COMPANY

AFRPL-TR-66-288

AFRPL-TR-66-288

MIDLAND, MICHIGAN 48640
Copy Nr. [redacted] of 190 Copies.
Series A 31 Pages.

THIS MATERIAL CONTAINS INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE
MEANING OF THE ESPIONAGE LAWS, TITLE 18, U. S. C.,
SECS. 793 AND 794, THE TRANSMISSION OR REVELATION
OF WHICH IN ANY MANNER TO AN UNAUTHORIZED PERSON
IS PROHIBITED BY LAW.

Report Nr. T-202-3Q-66

QUARTERLY PROGRESS REPORT (U)
(1 July 1966 to 30 September 1966)

October 1966

AIR FORCE SYSTEMS COMMAND
RESEARCH AND TECHNOLOGY DIVISION
ROCKET PROPULSION LABORATORY
EDWARDS, CALIFORNIA
CONTRACT NR. AF 04(611)-11202

DOWNGRADED AT 3 YEAR
INTERVALS; DECLASSIFIED
AFTER 12 YEARS
DOD DIR 5200.10

In addition to security requirements which must be met
this document is subject to special export controls and
each transmittal to foreign governments or foreign
nationals may be made only with prior approval of AFRPL
(RPPR-STINFO), Edwards, California, 93523.

SCIENTIFIC PROJECTS LABORATORY
THE DOW CHEMICAL COMPANY
MIDLAND, MICHIGAN

CONFIDENTIAL

UNCLASSIFIED

AFRPL-TR-66-288

FOREWORD

This report was prepared by The Dow Chemical Company, Midland, Michigan, under USAF Contract Nr. AF 04(611)-11202. The contract was initiated under Air Force Program Nr. 750 G, AFSC Project Nr. 3148, "Investigation of the Thermodynamic Properties and the Decomposition Kinetics of Propellant Ingredients." The work was administered under the direction of the Rocket Propulsion Laboratory, Edwards Air Force Base, with Mr. Curtis C. Selph acting as Air Force Project Officer.

This is the third quarterly report, covering the work performed during 1 July 1966 through 30 September 1966. The Dow report number is T-202-3Q-66.

The work was performed by C. E. Merrill, R. V. Petrella, G. C. Sinke, A. C. Swanson, and L. C. Walker under the technical supervision of Dr. D. R. Stull and Dr. F. M. Brower, and management supervision of Dr. R. P. Ruh.

Publication of this report does not constitute Air Force approval of the report's findings or conclusions. It is published only for the exchange and stimulation of ideas.

W. H. Ebelke, Colonel, USAF
Chief, Propellant Division

UNCLASSIFIED

CONFIDENTIAL

TABLE OF CONTENTS

I.	(U)	SUMMARY	1
II.	(U)	THERMOCHEMISTRY	2
	(C)	HEAT OF COMBUSTION OF TVOPA, 1,2,3-tris[1,2-bis-(DIFLUOROAMINOETHOXY)PROPANE	2
	(U)	Introduction	2
	(U)	Equipment	2
	(U)	Materials	2
	(U)	Procedure	3
	(U)	Results and Discussion	4
	(U)	WORK IN PROGRESS	8
	(U)	SAMPLE PURIFICATION AND SYNTHESIS	8
	(U)	Purification	8
	(U)	Synthesis	9
III.	(U)	COMBUSTION KINETICS	10
	(U)	INTRODUCTION	10
	(U)	EXPERIMENTAL	10
	(U)	RESULTS AND DISCUSSION	12
	(U)	Beryllium Hydride Decomposition	12
	(C)	Beryllium Hydride and Nitrous Oxide	14
	(C)	Photometric Observations of Beryllium Hydride-Oxygen Reaction	15
	(U)	FUTURE WORK	19
IV.	(U)	REFERENCES	20

CONFIDENTIAL

AFRPL-TR-66-288

SECTION I

SUMMARY

(C) The heat of combustion of 1,2,3-[1,2-bis(difluoroaminoethoxy)]propane, TVOPA, in oxygen has been determined to be -1613 ± 3.5 kcal./mole. From this value and from previous data, the ΔH_f° is calculated to be -217.4 ± 3.5 kcal./mole. Work in progress includes the heat of combustion of P-BEP, poly-[bis(difluoroamino)epoxy propane], by a similar technique. Trifluoromethoxydifluoramine has been synthesized and purified, and the heat of explosion of this compound is being determined.

(C) Additional studies on the combustion kinetics of the decomposition of beryllium hydride have been made. The combustion reaction of beryllium hydride with nitrous oxide has been investigated. Emphasis was placed on the study of oxygen combustion of Beane. The reaction was followed by monitoring the BeH^+ and OH radical absorption lines with our recording apparatus.

CONFIDENTIAL

CONFIDENTIAL

AFRPL-TR-66-288

SECTION II

THERMOCHEMISTRY

A. HEAT OF COMBUSTION OF TVOPA, 1,2,3-tris[1,2-bis(Difluoroaminoethoxy)propane] (C)

1. Introduction (U)

(U) TVOPA is a high energy compound supplied by Rohm & Haas Company. Its shock sensitivity is such that the sample had to be shipped as a 10% solution in methylene chloride. Unfortunately, the processes of solution and recovery from solution gave samples of varying quality as evidenced by large variations in the heat of combustion.

2. Equipment (U)

(U) A typical rotating bomb calorimeter with a platinum-lined combustion bomb was used for the calorimetry.

3. Materials (U)

(U) The sample, a 10% solution of purified TVOPA in methylene chloride, was prepared for combustion by stirring and pumping at low pressures (about 1 mm. Hg) to remove most of the methylene chloride. Analysis of the sample indicated the amount of solvent remaining was from 2 to 26 mg./g. of TVOPA, varying roughly with the time of pumping (see Table I).

Table I

(U) Variation of Chloride Content with Sample Treatment


<u>Treatment of Sample^a</u>	<u>mg. Chloride/ g. Sample</u>
Pumped on for ~3 hrs. at 25°C.	21 to 27
Warmed to 50°C. while pumping ~2 hrs.	6 to 13
Pumped at 25°C. over weekend, 3 days	2 to 3

^aAll samples were stirred and pumped simultaneously.

(U) 2-Octanone was used as a solvent for combustion studies, since neat TVOPA detonates under bomb conditions. Two samples of 2-octanone were used. A limited amount of a sample made by preparative chromatography was first used. When this was expended, an older sample was substituted. This sample had a lower heat of combustion, and analysis showed it contained 0.3% water.

4. Procedure (U)

(U) The following procedure was used to determine sample weights. Referring to Figure 1, a small clamp was placed on a weighed Mylar polyester bag and the weight of the clamp and bag determined. TVOPA was added to the open end and the bag was sealed and reweighed. The empty half of the bag was opened, filled with the appropriate amount of 2-octanone, resealed, and weighed. The clamp was then removed and the two substances mixed by manipulation of the bag. This procedure avoided loss of the mixture by liquid leakage or evaporation, since the quality of the seals could be checked before mixing.



(U) Fig. 1 - Clamp for Determining Sample Weights

(U) The calorimeter was calibrated with NBS benzoic acid. The calorimeter equivalent was 3423.35 cal./°C. with a standard deviation of 0.73 cal./°C. for ten experiments.

(U) The sample was burned in 40 atm. of oxygen, with 10 cc. of water in the bomb. Clean combustions required keeping the total calories around 6,500 and keeping the ratio of the weight of TVOPA to the weight of 2-octanone below 1.7. After each combustion the solution in the bomb was quantitatively recovered by washing the bomb interior. Analyses were made on the bomb washings for chloride, nitrogen, and fluoride.

UNCLASSIFIED

AFRPL-TR-66-288

(U) The heats of combustion of the polyester film and the two 2-octanone samples were run using 30 atm. of oxygen and 1 ml. of water in the bomb.

5. Results and Discussion (U)

(U) Results of the 2-octanone experiments are given in Table II and of the polyester film in Table III.

Table II

(U) Heat of Combustion of 2-Octanone

Sample 1 $-\Delta_c^\circ/M$ (cal./g.)	Sample 2 ^a $-\Delta_c^\circ/M$ (cal./g.)
9,401.1	9,372.9
9,414.8	9,365.1
9,387.4	9,364.9
9,399.7	9,357.7
9,398.5	9,370.6
9,399.1	9,372.5
9,395.0	9,370.0
Ave. 9,397.0	Ave. 9,367.7
= ± 2.0 cal./g.	= ± 1.9 cal./g.

^aThis sample contained about 0.3% water.

Table III

(U) Heat of Combustion of Polyester Film

$-\Delta_c^\circ/M$ (cal./g.)
5,464.5
5,466.7
5,467.0
5,466.3
5,465.4
5,464.4
5,468.9
5,466.2 = ± 0.6 cal./g.

(U) The average value for 2-octanone Sample No. 1, which was made by preparative chromatography, is in good agreement with 9397.5 cal./g. reported by Geiseler and Ratzsch (1).

UNCLASSIFIED

(U) Results of analyses of bomb washings in the TVOPA experiments are given in Table IV.

Table IV

(U) Results of Analyses of Bomb Washings

<u>Experiment No.</u>	<u>Fluoride %</u>	<u>Chloride %</u>	<u>Nitrogen %</u>
1	92.9	16.2	13.2
2	96.8	11.6	10.9
3	98.0	8.1	12.0
4	98.4	7.1	10.0
5	99.7	4.1	12.0
6	99.8	11.8	12.2
7	97.8	12.4	12.1
8	97.7	1.5	9.3
9	96.3	1.8	11.4
10	99.4	1.1	11.2
11	100.2	4.1	11.0
12	100.0	10.1	11.4

(U) The fluoride analyses are considered to check the empirical formula within experimental error. The nitrogen analyses were used to correct for nitric acid formation. The chloride analyses indicated that prolonged pumping was required to remove most of the methylene chloride solvent (see Table I).


(U) Results of the TVOPA combustion experiments are given in Table V.

(C) For calculation of the "Washburn corrections," the following data were taken from the Rohm & Haas report (2): density, 1.535 g./cc.; specific heat, 0.4 cal./g.°C.; and $(\partial E/\partial P)_T$, -0.0038 cal./g. atm.

(C) For the reaction $\text{CH}_2\text{Cl}_2 + \text{O}_2(\text{g}) \rightarrow \text{CO}_2(\text{g}) + 2 \text{HCl}(\text{aq.})$, a heat of reaction of 1707.2 cal./g. was calculated from data in National Bureau of Standards Technical Note 270-1. From this heat and the grams of CH_2Cl_2 per gram of sample, a $-\Delta_c^\circ/M$ for each combustion experiment corrected for the CH_2Cl_2 left in the TVOPA was calculated (Table V). A plot (Figure 2) of these $-\Delta_c^\circ/M$ values from Table V against the mg. of chloride found per gram of sample shows an apparent dependence on the amount of chloride found. If the $-\Delta_c^\circ/M$ values are corrected for chloride assuming it is all CH_2Cl_2 , a trend in $-\Delta_c^\circ/M$ with chloride is still apparent. Even a correction

CONFIDENTIAL

AFRPL-TR-66-288



CONFIDENTIAL

assuming the chloride was all present as CCl_4 would not completely eliminate the trend in $-\Delta E_c^\circ/M$ with chloride content. The chloride content also had an apparent dependence on the purification treatment, i.e., stirring, warming at 50°C . and time of pumping (see Table V). In order to obtain a zero chloride value for $-\Delta E_c^\circ/M$ a straight line fit was made by a least squares treatment to the data plotted in Figure 2 and listed in Table V. The intercepts of these lines at zero chloride content were for $\Delta E_c^\circ/M = 3,348.9 \pm 3.7, -3,348.9 \pm 3.8, -3,348.6 \pm 3.9$ cal./g. The standard deviations of the respective $-\Delta E_c^\circ/M$ values in Table V from the least squares lines were calculated from the equation $\sigma = \sum X_i^2/n(n-2)$. These σ values, along with the heats of combustion calorimetry was satisfactory. However, the uncertainty in the intercept of the least square line, due to scatter in the $\Delta E_c^\circ/M$ values and due to uncertainty in the chloride values, was calculated to be ± 7.2 cal./g. This uncertainty does not include any uncertainty due to an error in the assumption that the $\Delta E_c^\circ/M$ values vary linearly with the chloride content from none to 25 mg. chloride per gram of sample.

Table V

(U) Results of TVOPA Combustion Experiments


Experiment No.	Mg. Chloride/ g. Sample	Calories		
		A ^a	B ^b	C ^c
1	26.5	3,241.0	3,290.7	3,319.5
2	20.5	3,265.2	3,304.7	3,327.3
3	12.7	3,290.9	3,315.5	3,329.2
4	10.1	3,286.0	3,305.3	3,316.2
5	5.8	3,330.8	3,342.1	3,348.2
6	16.4	3,289.3	3,321.0	3,338.8
7	19.6	3,261.0	3,297.0	3,317.6
8	2.3	3,345.5	3,349.9	3,352.4
9	3.0	3,354.3	3,360.2	3,363.4
10	3.0	3,314.1	3,317.9	3,320.0
11	8.6	3,322.6	3,339.7	3,349.1
12	16.8	3,271.2	3,303.2	3,321.4

^aNo correction for chloride in sample.

^bCorrections made assuming the chloride was from CH_2Cl_2 .

^cCorrections made assuming the chloride was from CCl_4 .

(C) The average intercept of the least squares lines, -3,348.9 cal./g., gives a ΔH_c° of -1613.0 ± 3.5 kcal./mole for the reaction:



(C) The $\Delta H_f^\circ_{298.15}$ calculated from this ΔH_c° and from data in National Bureau of Standards Technical Note 270-1 was found to be -217.4 ± 3.5 kcal./mole for TVOPA (2).

(C) This result may be compared with the $\Delta H_c^\circ = -1623$ kcal./mole reported by Rohm & Haas (2) which yields a $\Delta H_f^\circ_{298.15}$ of -207.3 ± 3.0 kcal./mole. It should be noted that this value, -207.3 kcal./mole, does not involve any $-\Delta E_c^\circ/M$ extrapolation to zero chloride content.

B. WORK IN PROGRESS (U)

(C) The heat of combustion of poly[bis(difluoroamino)epoxypropane], P-BEP, is being run by a technique similar to that used for TVOPA. Preliminary results include analyses that indicate some loss of fluorine since the original analysis by Shell Development Company.

(C) A dry box facility for beryllium compounds is now operative. We are awaiting a sample of alane-terminated beryllium hydride polymer from Rocketdyne.

(C) The heat of explosion of CF_3ONF_2 and hydrogen is being investigated. Preliminary results indicate complete reaction to CO_2 , N_2 , and HF.

(U) Exploratory work has shown that nitrogen trifluoride mixtures with octafluorocyclobutane and/or tetrafluoroethylene explode and give quantitative conversion to CF_4 , N_2 , and F_2 . The octafluorocyclobutane is attractive as an ignition promoter for compounds which ordinarily might not react with NF_3 . The products, CF_4 and N_2 , are stable, unassociated gases, which is an advantage over the highly associated HF produced when H_2 is used as an igniter.

C. SAMPLE PURIFICATION AND SYNTHESIS (U)

1. Purification (U)

(C) During this quarter, a final 4 g. of TVOPA, 1,2,3-tris-[1,2-bis(difluoroamino)ethoxypropane], was purified by the procedure described in our Second Quarterly Report (3) and delivered to the Thermal Research Laboratory. The purification of P-BEP, poly[bis(difluoroamino)-epoxypropane], by a similar procedure is being continued. About 5 g. has been prepared for the Thermal Research Laboratory.

2. Synthesis (U)

a. General (U)

(U) The synthesis and purification of CF_3ONF_2 have advanced to the point where material of >99% purity has been isolated. Recently, a gas chromatographic purification procedure has been developed in which passage of partially purified CF_3ONF_2 through a 21-foot Kel-F tetramer column (25% oil on Chromosorb W) at -65°C . yielded CF_3ONF_2 that was not contaminated by CF_3OOCF_3 . A previous attempt to remove CF_3OOCF_3 by passing a 0.2 g. sample through a 21-foot TCP column (25% TCP on Chromosorb W) from -30° to -70°C . gave little separation. About 30 g. of CF_3OF also was prepared during this quarter for starting material.

(U) About 4 g. of CF_3ONF_2 was delivered to the Thermal Research Laboratory during this quarter.

b. Experimental (U)

(U) The reaction used to synthesis CF_3ONF_2 was approximately the same described previously (3), but the procedure used in the purification has been revised. Crude CF_3ONF_2 was first washed with 50% H_2SO_4 to remove some of the N_2O and N_2F_4 which may have been present. This crude material was then washed with 50% NaOH to remove CO_2 , NO , NO_2 , and SiF_4 . To remove CF_4 , NF_3 and remaining N_2O most effectively, codistillation was used. The removal of CF_3OOCF_3 from CF_3ONF_2 was accomplished by vapor phase chromatography through a 21-foot Kel-F tetramer column (25% oil on Chromosorb W) at -65°C . CF_3ONF_2 of >99% purity resulted. Recently, 1 g. of CF_3ONF_2 was purified by this procedure.

SECTION III

(U) COMBUSTION KINETICSA. INTRODUCTION (U)

(C) The study of the combustion characteristics of a beryllium hydride propellant has been continued. During this period additional studies of the decomposition of BeH_2 have been made. The combustion reaction of BeH_2 and NO has been investigated. The major task undertaken during this time has been the study of the oxygen combustion of beryllium hydride. The reaction was followed by monitoring one absorption line of BeH^+ and one of the OH radical.

B. EXPERIMENTAL PROCEDURES (U)

(C) The procedure reported in our two earlier reports (3, 4) was used to study the decomposition of BeH_2 as well as its reaction with NO . The procedure utilizes a pre-set spectroscopic lamp delay to give point-by-point data over a wide range of absorption.

(U) The system utilized in our time-resolved photomultiplier circuit is quite different, and warrants a description. The first task is to find at least one absorption line of each specie to be studied which is intense enough to be seen above the gross fog on the spectroscopic plate. The next problem is to determine the width of the line in angstroms and translate it into millimeters of width. This is accomplished by determining the plate factor (number of angstroms photographed per millimeter length of spectroscopic plate) for the particular grating setting. Our plate factors lie between 7.4 Å/mm. and 7.5 Å/mm. An absorption line of 0.2 Å width would require a slit of only 0.027 mm. width. In addition to cutting such a narrow slit in the copper mask, which is placed in the exit end of the spectrograph instead of the spectroscopic plate, the additional problem of translating the wave length differences of two absorption lines into linear differences of the copper strip is also difficult. This is done by measuring the actual linear distance of the two lines of an exposed spectroscopic plate and using this difference as soon as one of the slits for one of the lines has been made.

(U) The problem can be defined as simply cutting two 0.02-0.03 mm. wide slits in a copper sheet 1 in. x 10 in. x 0.125 in. to within an accuracy of 0.01 mm. The accuracy with which the slits are made is quite critical since light will leak in around the absorption line if the slits are too wide. This leakage of light will cause the photomultiplier to react as if the absorption line were weak (giving only a slight change in current). The precision of the slit width is not as critical in emission spectroscopy, since one is measuring a narrow beam of light superimposed on a

on a non-emitting background. Only the emission line is seen even if the slit is several times as wide as the emission line. However, in absorption spectroscopy the criterion is to make the slit even narrower than the full absorption line. Thus, the light above the wings of the absorption line is negated.

(U) The correct linear distance between slits also requires great accuracy. This distance determines the wavelength spread of the absorption line. One absorption line can be made to coincide with one of the slits by turning the grating. The coincidence of the second line with the second slit is strictly a function of the workmanship employed in preparing the masks.

(C) The 2751.8 Å line of BeH^+ was chosen because of its proximity to the 2752.77 Å line of mercury. The mercury emission line was used to line up the grating so that the 2752.77 Å mercury line fell on the slit we propose to use for the 2750.1 Å line. By using an absorption line close to that of the mercury calibration line, the inherent error in the gear train of the spectrograph is minimized, as the distance through which the grating must be turned is quite small. The indirect means of lining up the grating and exit slits can be useful for aligning one absorption line and one slit. Since the other slit is a fixed distance from the fiducial slit, it will coincide with the absorption line only if the mask was properly prepared and precise measurement taken and accurate placement of the slits employed.

(U) In this laboratory a novel system is employed to prepare slits and masks. First, the distances between the desired lines recorded on the spectroscopic plate are carefully measured (with our linear comparator). The distance is measured from the low wavelength side of the higher wavelength line to the upper wavelength side of the lower line. Next, the width of the line (in mm.) is measured. The center of the spectroscopic plate is next lined up with the center of the copper mask. The approximate position of each line to be monitored is scribed across the copper mask as viewed through the plate. Then 3/8 in. holes are drilled in the copper using the scribe marks as centers. The copper mask is then transferred back to the linear comparator for the rest of the operation.

(U) Double edged razor blades are broken in two along their long axis. The blades are then cut to 1 in. lengths (width of the copper mask). One razor blade is glued over the farther half of one of the 3/8 in. holes with Dow Corning RTV 731 after being carefully lined up perpendicular to the edge of the mask with the aid of the cross-hairs in the microscope of the linear comparator. The second razor blade is aligned parallel to the first and separated from it by a distance equal to one-half the width of the absorption line under consideration. In the case of the 2751.8 Å line, this distance is 0.020 mm. The second razor blade is then glued making

a completed slit $3/8$ in. and 0.020 mm. wide. The sharp edges of the razor blades make ideal slit jaws as they have converging edges facing the radiation to minimize diffraction, as required by the laws of physics.

(U) When one slit is finished, the whole mask is moved laterally, while still on the carriage of the linear comparator, to a distance corresponding to the nearer edge of the second absorption line. The above steps are repeated for preparing the second slit.

(C) The mask presently being used worked very well in the first attempt, attesting to the accuracy of its construction. It was employed to monitor the BeH^+ and OH peaks in three systems: BeH_2 decomposition in vacuum, $\text{BeH}_2 + \text{O}_2$, and $\text{BeH}_2 + \text{NO}$.

(C) The $\text{BeH}_2\text{-O}_2$ combustion was studied at approximately 0.1, 10, 20, and 50 mm. of oxygen. The BeH_2 decomposition was studied in vacuum and at 50 mm. of argon. The reaction between BeH_2 and NO was attempted at 21 mm. pressure of NO. Larger samples of BeH_2 were flashed in these runs to insure sufficient intensity. The average weight is about 0.04 gm.

(C) A second copper mask is almost completed. It will be used to monitor the 2751.8 Å line of BeH^+ , the 3089.1 Å line of OH, and 3383 Å line of BeO simultaneously.

(C) Under construction are masks to monitor the BeH, BeO species, and the $\text{BeH}^+\text{-BeO-BeH}$ species. The latter mask should prove helpful in determining the ratio of intensities of BeH and BeH^+ as well as their induction times.

(U) The data, i.e., photomultiplier outputs, are recorded on an oscilloscope or on the tape recorder, depending upon the lifetime of the species and their intensity changes during the reaction. The recorded data are then played back into an oscilloscope and the trace photographed for a permanent record. When the three-slit masks are complete, all data will be recorded on the tape recorder to give one continuous time-history of the reaction.

(C) The masks can be used to study the reaction between BeH_2 and any material which will yield BeH^+ and OH, and BeH-BeO-BeH^+ as products respectively. Such materials as NO_2 , CO_2 , AP, and ClO_2 could be studied in reactions with BeH_2 utilizing the copper masks available in this laboratory.

C. RESULTS AND DISCUSSION (U)

1. Beryllium Hydride Decomposition (U)

(C) As reported in our previous quarterly reports, BeH_2 decomposed to BeH and BeH^+ , according to absorption spectral evidence. In addition, H_2 and Be metal are detected as products

CONFIDENTIAL

AFRPL-TR-66-288

after the decomposition is complete. From the above evidence, we conclude the first step in the decomposition of BeH_2 is:



(C) The recombination of hydrogen atoms accounts for part of the hydrogen seen at the conclusion of the reaction. Additional reactions involving BeH are:



and



This can account for the Be metal and H_2 gas produced.

(C) It was assumed the BeH^+ was formed from the reaction:



This reaction is calculated to be endothermic by 210.34 kcal. (Data from JANAF Tables for all species except BeH^+ which was calculated for us by the Dow Thermal Research Laboratory).

(C) Reaction (4) produces an electron as a result of the interaction of radiation upon BeH . A second reaction could be written for the formation of BeH^+ which is just as plausible and thermodynamically more favorable.



(U) Many charge transfer reactions are known in high temperature chemistry of hydrocarbon system. CH^+ is a well known product of the flash photolytic decomposition of acetylene.


(C) The slower rate of disappearance of BeH^+ when observed on our spectroscopic plates as compared to that of BeH could be explained when one considers the various steps in which each hydride species participate. As seen above, BeH can react by (2), (3), (5), and possibly (4). BeH^+ on the other hand can disappear by the reaction:



or



or even remotely by the step:



Once BeH is formed in the flash, it would react rapidly with itself and with the hydrogen atoms formed by steps (2) through (5) in the volume immediately around each graphite strip. The BeH⁺ is then being formed in this rapidly expanding hot gas volume. As this hot gas volume expands, the species in it are removed farther from each other. Since BeH⁺ reacts bimolecularly and since each reactant is being sped outward from the strips, the chance of two particles colliding and reacting is becoming more remote as each microsecond passes.

(C) In our apparatus, it is safe to say that the BeH⁺ reactions are kinetically controlled. Thermodynamic considerations would lead to low BeH⁺ concentrations even at maximum concentrations. The BeH⁺ would also disappear at a rate faster than that of BeH or, at best, would disappear at a rate parallel to that of BeH. However, our photographic work shows the BeH⁺ intensity to be rising while that of BeH is falling, indicating the faster rate of disappearance of BeH. The inclusion of steps (5) through (7) is logical in light of the extreme temperature (~2500°K.) obtained in such a short time (25-35 μsec.). The tape recorder-photomultiplier circuit will cast further light on the BeH-BeH⁺ equilibrium.

2. Beryllium Hydride and Nitrous Oxide (C)


(C) The BeH₂ was flashed in 21 mm. of NO. The system was over-oxidized in NO according to the equation:



(C) The reaction was observed from 10 to 485 μsec. after the photoflash. The data were recorded on Kodak 103-0 and 103-F spectroscopic plates. In a few cases, a few OH lines were observed, whose intensity and lack of reproducibility led us to attribute their existence to the slight outgassing of air and water absorbed on the cell walls. The main reaction intermediate was HNO. It is believed that this was formed in the following way:



and possibly by:



The corresponding BeH⁺ reaction for (11) would be:



The rapid disappearance of HNO is attributed to:



(C) The presence of NO tended to cause the BeH^+ to disappear at a slower rate than when BeH_2 is flashed in a vacuum. The same effect has been noted when argon or nitrogen was added to the cell.

(C) Our conclusion is that the nitric oxide serves only as a third body to the recombination of hydrogen atoms and is not an oxidizer to BeH_2 under our experimental conditions.

3. Photometric Observations of Beryllium Hydride-Oxygen Reaction (C)

(C) The oxidation of BeH_2 by O_2 was studied under four different pressures of oxygen. The pressures were 0.1, 10, 20, and 50 mm. respectively.

(C) Studies on the vacuum decomposition of BeH_2 have been instituted using a photomultiplier to follow the intensity of a BeH^+ absorption line. As seen from Figure 3, the lifetime of BeH^+ is about 22 milliseconds when the 2751.8 Å line of the P branch of the (0, 1) transition of the $^1\Sigma^- \rightarrow ^1\Sigma$ ground state electronic absorption system is followed. Figure 4 shows the lifetime of BeH^+ when the $R_{25\frac{1}{2}}$ line at 2834.7 Å of the same transition is followed. The further reduction in absorption of Figure 4 was caused by the movement of the light source. This movement is caused by the shock wave resulting from the air heated by the flash. The problem was solved by supporting the light source independently of the flash apparatus.

(U) As pointed out above, during a flash, there is always some OH present. This is caused by absorption of water and air from the cell walls. The problem is minimized by drying the glassware in an oven at 125°C.

(C) Figure 5 shows the absorption spectrum of the 2751.8 Å BeH^+ line and the 3089.1 Å OH line recorded simultaneously resulting from the decomposition of BeH_2 in vacuum.

(C) It is noted that the OH line is usually present even when no oxygen containing compound is added to the cell. This absorption is an indication of background oxygen. The upper (BeH^+) trace was recorded at 1/100 the sensitivity of the lower (OH) trace.


(C) The same two absorption lines for BeH_2 in 0.1 mm. oxygen can be seen in Figure 6. The BeH^+ shows total absorption out to at least 50 milliseconds. The OH radical is seen to disappear much more rapidly and is essentially gone at 30 milliseconds.

(C) Figures 7, 8, and 9 show the absorption spectra of BeH^+ and OH resulting from a 1500 joule flash upon BeH_2 with 10, 20, and 50 mm of O_2 respectively. The most striking feature of these three figures is that the lifetime and intensity of the OH radical approaches that of the fuel, BeH^+ , as the oxygen pressure is raised. This tends to show that to a large degree the step:




CONFIDENTIAL

AFRPL-TR-66-288



(C) Fig. 3 - Lifetime of BeH^+ from 2751.8 Å Line



(C) Fig. 4 - Lifetime of BeH^+ from 2834.7 Å Line

I_0 = Baseline with light off.


I_{Rx} = Absorption due to 2751.8 Å line of BeH^+

I_{∞} = Baseline with light on - no absorption.

5 millise./horizontal div.

Flash energy = 1500 joules


CONFIDENTIAL



(C) Fig. 5 - Absorption of BeH^+ and OH


Upper trace 2751.2 Å line of BeH^+ .

Lower trace 3089.1 Å line of OH.




(C) Fig. 6 - Absorption of BeH^+ and OH from $\text{BeH}_2\text{-O}_2$

$P_{\text{O}_2} = 0.1 \text{ mm.}$ (Same as Figure 5).



(C) Fig. 7 - Absorption of BeH^+ and OH from $\text{BeH}_2 + 10 \text{ mm. O}_2$
Dips on traces caused by fluctuating light source.




(C) Fig. 8 - Absorption of BeH^+ and OH from $\text{BeH}_2 + 20 \text{ mm. O}_2$

is fast and efficient, and the OH concentration is proportional to the O_2 content. The implication is that the combustion of BeH_2 is carried out through the BeH^+ species rather than through BeH_2 per se. As soon as a third mask is completed the role of BeH will be studied to determine if it is only a precursor to BeH^+ or if it also plays the role of a fuel.

D. FUTURE WORK (U)

(C) The last quarter of the contract will be spent in studying the systems BeH_2-O_2 ; BeH_2-AP ; and BeH_2-NO with the photometric technique with emphasis on the $BeH-OH-BeH^+$ interaction.



(C) Fig. 9 - Absorption of BeH^+ and OH from $BeH_2 + 50 \text{ mm. } O_2$

SECTION IV**REFERENCES**

1. G. Geiseler and M. Ratzsch, Ber. Bunsenges. Physik. Chem. 69, 485 (1965).
2. Rohm & Haas Company, QPR No. P-64-26, Oct. 1 - Dec. 31, 1964, January 28, 1965, Contract Nr. DA-01-021-ORD-11909 (Z).
3. The Dow Chemical Company, Quarterly Technical Report Nr. T-202-2Q-66, AFRPL-TR-66-176, July 1966, Contract Nr. AF 04(611)-11202.
4. The Dow Chemical Company, Quarterly Technical Report Nr. T-202-1Q-66, 15 April 1966, Contract Nr. AF 04(611)-11202.

UNCLASSIFIED

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R&D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1 ORIGINATING ACTIVITY (Corporate author) The Dow Chemical Company Midland, Michigan		2a REPORT SECURITY CLASSIFICATION Confidential
		2b GROUP 4
3 REPORT TITLE Investigation of the Thermodynamic Properties and the Decomposition Kinetics of Propellant Ingredients		
4 DESCRIPTIVE NOTES (Type of report and inclusive dates) Quarterly Progress Report (1 July 1966 - 30 September 1966)		
5 AUTHOR(S) (Last name, first name, initial) Petrella, R. V.; Sinke, G. C.; Skelcey, J. S.; and Stull, D. R.		
6 REPORT DATE October, 1966	7a TOTAL NO. OF PAGES 25	7b NO. OF REFS 4
8a CONTRACT OR GRANT NO. AF 04(611)-11202	9a ORIGINATOR'S REPORT NUMBER(S) T-202-3Q-66	
8b PROJECT NO. 3145		
8c BPSN - 623148	9b OTHER REPORT NO(S) (Any other numbers that may be assigned this report) AFRPL-TR-66-288	
10 AVAILABILITY/LIMITATION NOTICES In addition to security requirements which must be met, this document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval of AFRPL(RPPR-STINEO), Edwards, Calif. 93523.		
11 SUPPLEMENTARY NOTES	12 SPONSORING MILITARY ACTIVITY AFRPL, RTD Edwards Air Force Base, California	
13 ABSTRACT The heat of combustion of TVOPA, in oxygen has been determined to be -1613 ± 3.5 kcal./mole. From this value and from previous data, the $\Delta H_f^\circ_{298.15}$ is calculated to be -217.4 ± 3.5 kcal./mole. Work in progress includes the heat of combustion of P-BEP by a similar technique. Trifluoromethoxydifluoramine has been synthesized and purified, and the heat of explosion of this compound is being determined. Additional studies on the combustion kinetics of the decomposition of Beane have been made. The combustion reaction of Beane with nitrous oxide has been investigated. Emphasis was placed on the study of oxygen combustion of Beane. The reaction was followed by monitoring the appropriate radical absorption lines with our recording apparatus.		

DD FORM 1473
1 JAN 64

Unclassified

Security Classification

UNCLASSIFIED

UNCLASSIFIED

Unclassified

Security Classification

KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Thermochemistry Heat of Formation of TVOPA NF Compounds Combustion Kinetics Beane Heat of Formation of P-BEP						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.

Unclassified

Security Classification

UNCLASSIFIED